

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	159	(@ad @pt1d @frpd @read @rlad @ptad) < "20040421" and 455/114.1-126.ccls. and filter\$4.clm. and (center\$3 or centr\$4) near9 filter	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/16 12:36
S2	43	S1 and compar\$5 near9 (dc or reference or threshold)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/16 12:37
S3	78	(@ad @pt1d @frpd @read @rlad @ptad) < "20040421" and 455/296-312.ccls. and filter\$4.clm. and (center\$3 or centr\$4) near9 filter and compar\$5 near9 (dc or reference)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/16 12:45
S4	66	(@ad @pt1d @frpd @read @rlad @ptad) < "20040421" and 455/296-312.ccls. and filter\$4.clm. and (center\$3 or centr\$4) near9 filter and compar\$5 near9 (threshold)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/16 12:48
S5	32	S4 not S3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/16 12:49
S6	38	(@ad @pt1d @frpd @read @rlad @ptad) < "20040421" and 455/232.1-254.ccls. and filter\$4.clm. and (center\$3 or centr\$4) near9 filter and compar\$5 near9 (dc or reference or threshold)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/16 13:08

S7	121	(@ad @pt1d @frpd @read @rlad @ptad) < "20040421" and "333".clas. and filter\$4.clm. and (center\$3 or centr\$4) near9 filter and compar \$5 near9 (dc or reference or threshold)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/16 13:09
S8	4	(@ad @pt1d @frpd @read @rlad @ptad) < "20040421" and 455/232.1-254. ccls. and filter\$4.clm. and (center\$3 or centr\$4) near9 filter and (error or difference or compar\$5) near9 (dc or reference or threshold) not S6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/16 13:10
S9	56	(@ad @pt1d @frpd @read @rlad @ptad) < "20040421" and "333".clas. and filter\$4.clm. and (center\$3 or centr\$4) near9 filter and (error or difference or compar \$5) near9 (dc or reference or threshold) not S7	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/16 13:11
S10	13	("20040246056" "4127819" "4395779" "4539566" "5179727" "5369793" "5438304" "5499396" "6058148" "6122496" "6178314" "6307443" "6983136").PN. OR ("7400868").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/16 15:05
S11	2	"7184729".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/21 10:37

S12	2	"6307443".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/21 13:07
S13	2	"5081713".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/21 14:24
S14	8746	(@ad @pt1d @frpd @read @rlad @ptad) < "20040421" and filter near8 lc	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/21 14:42
S15	764	(@ad @pt1d @frpd @read @rlad @ptad) < "20040421" and filter near5 lc near5 (adjust\$8 tun\$7 var\$8)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/21 14:43
S16	514	S15 and filter.ti,ab.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/21 14:43
S17	209	S15 and transmitter	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/21 14:46
S18	2866	(@ad @pt1d @frpd @read @rlad @ptad) < "20040421" and filter near5 lc with capacit\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/21 15:03
S19	16	(@ad @pt1d @frpd @read @rlad @ptad) < "20040421" and filter near5 lc with capacit\$4 with code	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/21 15:03
S20	366	(@ad @pt1d @frpd @read @rlad @ptad) < "20040421" and filter near5 lc with capacit\$4 with (tun\$6 or adjust\$7 or var\$8)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/21 15:05

S21	105	(@ad @pt1d @frpd @read @rlad @ptad) < "20040421" and filter near5 lc with capacit\$4 with (tun\$6 or adjust\$7 or var\$8) with frequency	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/21 15:06
S22	2	"6653913".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/21 15:17
S23	5	S14 and klee	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/21 15:19
S24	1368	(@ad @pt1d @frpd @read @rlad @ptad) < "20040421" and (filter near8 lc).ti.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/21 15:24
S25	767	S24 and capacit\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/21 15:24
S26	116	S24 and capacit\$6 near9 (tun\$7 adjust\$8 var\$8)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/21 15:26
S27	42	S26 and center	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/21 15:27
S28	41	S26 and center\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/21 15:27
S29	2140	(@ad @pt1d @frpd @read @rlad @ptad) < "20040421" and filter\$4 near6 (lc or capacit\$6 near5 induct\$6) and center \$5 near5 frequency	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/21 15:32

S30	2046	S29 and capacit\$7	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/21 15:32
S31	1172	S29 and capacit\$7 near5 (tun\$8 adjust\$8 var\$8 chang\$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/21 15:33
S32	220	(@ad @pt1d @frpd @read @rlad @ptad) < "20040421" and filter\$4 near6 (lc or capacit\$6 near5 induct\$6) and center \$5 near5 frequency with capacit\$7 near5 (tun\$8 adjust\$8 var\$8 chang\$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/21 15:41
S33	41	(@ad @pt1d @frpd @read @rlad @ptad) < "20040421" and filter\$4 near6 (lc or capacit\$6 near5 induct\$6) same center \$5 near5 frequency with capacit\$7 near5 (tun\$8 adjust\$8 var\$8 chang\$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/21 15:42
S34	2	"6766150".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/21 15:43
S35	1	10/482018	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/26 10:42
S36	12	"5606739"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/26 11:02
S37	0	"5606739.pn."	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/26 11:02

S38	2	"5606739".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/26 11:02
S39	1009	(@ad @pt1d @frpd @read @rlad @ptad) < "20040421" and "455".clas. and filter with capacit\$5 with switch\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 17:11
S40	96	S39 and filter.ti.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 17:15
S41	584	(@ad @pt1d @frpd @read @rlad @ptad) < "20040421" and "455".clas. and filter near5 capacit\$5 near5 switch\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 17:17
S42	60	S41 and filter.ti.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 17:17
S43	12	("3969678" "4528698" "5179727" "5245646" "6014554" "6114902" "6169446").PN. OR ("6686809").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/07/13 17:43
S44	2	"6781474".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 18:05
S45	2	"7184729".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 18:25
S46	2	"6766150".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 18:34

S47	2	"5081713".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/13 18:53
-----	---	---------------	---	----	----	---------------------

EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S48	1610	((DC reference near2 (voltage amplitude)) and (filter) and (detect \$4 output amplitude strength RSSI) and (digital code) and (agc gain amplif\$6)).clm.	USPAT; UPAD	OR	ON	2010/02/24 11:35
S49	493	((DC reference near2 (voltage amplitude)) and (filter) near6 (digital code) and (detect\$4 output amplitude strength RSSI) and (digital code) and (agc gain amplif\$6)).clm.	USPAT; UPAD	OR	ON	2010/02/24 11:35
S50	212	((DC reference near2 (voltage amplitude)) and (filter) near6 (digital code) and (detect\$4 output amplitude strength RSSI) and (digital code) and (agc gain amplif\$6) and compar\$6).clm.	USPAT; UPAD	OR	ON	2010/02/24 11:36
S51	88	S50 and filter.ab,ti.	USPAT; UPAD	OR	ON	2010/02/24 11:37

2/ 24/ 2010 2:57:51 PM

C:\ Documents and Settings\ rhu\ My Documents\ EAST\ Workspaces\ 10830117--filter calibration circuit update.wsp